



Organic Acaracide-Insecticide

OMRI
 Listed

INGREDIENTS

Cinnamon Oil	40%
Clove Oil	10%
Inert Ingredients	50%
Water	Tetradecanoic acid, monoester with 1,2,3-propanetriol
Soap	Tetradecanoic acid, diester with 1,2,3-propanetriol
Glycerine	Hexadecanoic acid, monoester with 1,2,3-propanetriol
Octanoic acid, monoester with 1,2,3-propanetriol	Hexadecanoic acid, diester with 1,2,3-propanetriol
Octanoic acid, diester with 1,2,3-propanetriol	Octodecanoic acid, monoester with 1,2,3-propanetriol
Decanoic acid, monoester with 1,2,3-propanetriol	Octodecanoic acid, diester with 1,2,3-propanetriol, soap
Decanoic acid, diester with 1,2,3-propanetriol	Butyl stearate
Dodecanoic acid, monoester with 1,2,3-propanetriol	Ethyl lactate.
Dodecanoic acid, diester with 1,2,3-propanetriol	

MANUFACTURING UNDER U.S.A AND INTERNATIONAL PATENTS

Aramite™ is exempt from registration with the Federal EPA under section 25 (b) of FIFRA. **Aramite™** has not been registered with the Environmental Protection Agency. ExcelAg, Corp. USA represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act.

Aramite™ is an organic broad spectrum Acaracide-Insecticide that acts by contact activity. It does not require PHI or reentry interval periods.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Do not eat, drink or smoke while handling or using this product. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty of soap and warm water. If irritation persists, consult a physician.

IF IN EYES: In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth or do not induce vomiting.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

MAY BE HARMFUL IF SWALLOWED, ABSORBED THROUGH THE SKIN OR INHALED, CAUSES MODERATE EYE IRRITATION.

Wear safety goggles, mask, gloves, and boots when handling. Do not get in eyes or on clothing. Avoid contact with skin.

Do not inhale dust or spray mist. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking or smoking.

COMPATIBILITY

Aramite™ is compatible with most products on the market, however, it is recommended to pre-test for compatibility before use.

Manufactured by:

 Bright  **ORGANICS**

 7300 North Kendall Drive, Suite 521
 Miami, FL 33156, USA
 Phone: (305) 670 0145
 Fax: (305) 670 8400
 Toll Free: 1-877-61-EXCEL

Distributed by:


 7300 North Kendall Drive, Suite 521
 Miami, FL 33156, USA
 Phone: (305) 670 0145
 Fax: (305) 670 8400
 Toll Free: 1-877-61-EXCEL

LOT No.:

NET CONTENTS:

- 1 Quart
 1 Gallon
 2.5 Gallons

SLIGHTLY TOXIC



Organic Acaricide-insecticide

OMRI®
Listed

DIRECTIONS FOR USE

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers can be in the area during application. For any requirements specific to State or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with this labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted reentry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

SHAKE WELL BEFORE USE. USE DILUTED SOLUTION IMMEDIATELY. DO NOT STORE DILUTED SOLUTION

Application Instructions: Do not apply more than two consecutive applications and rather rotate **Aramite™ Organic Acaricide-insecticide** to an alternative chemistry for two applications. Apply early in the morning or in late afternoon. Spray directly onto the pathogen(s). Repeat applications at an interval of 4-7 days, depending on mite/insect infestation. To prevent product degradation, do not use spray water with a pH lower than 4.0 or higher than 8.0. Use pH correctors for pH's outside of these ranges.

Hand Held Equipment: When using hand held equipment use one tablespoon of **Aramite™ Organic Acaricide-insecticide** /gallon of water. Mix 32-48 oz. of **Aramite™ Organic Acaricide-insecticide** concentrate per 100 gallons of spray water. Apply enough to cover the entire surface of infested tissues. Apply no more than once in a 7-day period. Repeat application as necessary. Coverage is essential to establish control. The use of a spreader/sticker may increase contact and efficacy of treatment. Check compatibility by spraying a small number of plants before initial application.

Pre Harvest Interval: **Aramite™ Organic Acaricide-insecticide** may be applied on crops listed on recommended use table at anytime and up to and including the day of harvest.

Store the contents in the original container only. Keep container tightly closed, do not allow water into the package contents. Do not contaminate water sources by runoff water or cleaning spray equipment. Do not store near sources of high heat or flame. Do not store with oxidizing agents.

Empty Container Disposal: Triple rinse effect (or equivalent) and add the wash water to the spray tank, then send it for recycling, or puncture and dispose of the container in accordance with the provisions of local authorities. If allowed the burning of container, stay out of smoke. In an emergency call toll free to CHEMTEL Emergency Phone number: 800-255-3924

The manufacturer and distributor guarantee the contents of the original container tightly closed and the warranty seal intact according to the terms of the label and leaflet. Consumers buy the product with full knowledge. The Company limits its liability in the sale of this product to the replacement thereof if it finds defective. Because its use and handling is beyond our control, no liability is accepted whatsoever for damages to people, crops, and/or soil.

CONDITIONS OF SALE, LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES: The information and directions set forth on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and damage to crops to which the product is applied may occur for a variety of reasons, including but not limited to, the failure to follow the directions on this label, the failure to adhere to good Applications practice, unusual or abnormal weather conditions and the like, all of which are beyond the control of ExcelAG Corp., (the "Company").

SLIGHTLY TOXIC

APPLICATION RATE TABLE

CROP	PEST	Rate (Oz. /100 Gal)
Tomatoes, Potatoes, Peppers	European red mite, Pacific spider mite, Strawberry spider mite, Twospotted spider mite.	32-48
Citrus	Asian citrus psyllid, Broad mite, Citrus bud mite, Citrus rust mite, Two spotted spider mite.	32-48
Cucurbits: Cucumber, Melons,Pump kin, Squash, Zucchini	European red mite, Pacific spider mite, Strawberry spider mite, Twospotted spider mite, Whitefly (Bemisia spp.) Leafminers (Aphids)	32-48
Turf and	Whitefly (Bemisia spp.) Leafminers	32-48

Ornamentals	(Aphids)	
Soybeans	Whitefly (Bemisia spp.) Leafminers (Aphids)	32-48
Potatoes	Whitefly (Bemisia spp.) Leafminers (Aphids)	32-48
Strawberries	Strawberry spider mite, Twospotted mite	32-48
Bulb Vegetables: Garlic, Leek, Onion, Shallot	Whitefly (Bemisia spp.) Leafminers (Aphids)	32-48

<u>Final Mix Volume</u>	<u>FL. Oz. of Aramite™</u>	<u>Tbs of Aramite™</u>
1 Gallon	0.5	1
5 Gallons	2.4	5
10 Gallons	4.8	10
25 Gallons	12.0	25